




ZHEJIANG CHINT BUILDING ELECTRICS CO.,LTD


ADD:Wenzhou Bridge Industrial Zone,Yueqing City,
Zhejiang Province,P.R China 325603
TEL:+86-577-62877777-8108 FAX:+86-577-62777477
Http://www.chint.com E-mail:jzdq@chint.com





NEW2M

Series Switch & Socket





CHNT



Zhejiang Chint Building Electrics Co., Ltd.

Zhejiang Chint Building Electrics Co., Ltd established in 1997, composed 8 industries Co., Ltd of Chint group. together with HV and LV Electric Appliances Co., Power Transmission and Distribution Equipment Co., Ltd, Instrument and Meter Co., Ltd, Industrial Automation Co., Ltd, Photovoltaic Cell and Component Systems Co., Ltd, What's more, it's the only company which has been regarded as the leading company of national residence industrialization by MOC within the building electronics field. Its comprehensive strength takes the first place of the national electrical industry. Our company owns decades of experience in R&D and quality control of wall switches and socket, advanced production testing equipment and unique idea of "OPT-Precision Switch Standard", that's why we can ensure the stable quality of each product by one-by-one inspection, precision manufactured, supreme material, optimized design. Our supreme pursuit of quality and service receives the approval and appreciation from the consumers, partners, industrial organizations and national institutions. Our company successively won honor as "Zhejiang quality award", "Chinese machinery industry high-quality brand", "Customer satisfaction brand". For past 17 years, We have had provided more than 1.6 billion electrical engineering products of constant and stable quality for house construction of China.

Switch to the best ...



86 Type **NEW2-M** Series

1. Frameless plate, Fashion Design
2. 3.6° Opening and Closing tilt angle
3. Inside steel support frame
4. Silver-Nickel Contact
5. Flame-retardant PC, high temperature resistance
6. Big wiring holes, high capacity

NEW2M Series switch & socket

Switch

Picture	Model No.	Description	Packing Quantity (pcs/ctn)	Carton Dimension (mm)
	G NEW2-M0010X	1-gang 1-way switch 10AX 250V	120	390X370X302
	G NEW2-M0020X	1-gang 2-way switch 10AX 250V	120	390X370X302
	G NEW2-M0030X	2-gang 1-way switch 10AX 250V	120	390X370X302
	G NEW2-M0040X	2-gang 2-way switch 10AX 250V	120	390X370X302
	G NEW2-M0050X	3-gang 1-way switch 10AX 250V	120	390X370X302
	G NEW2-M0060X	3-gang 1-way switch 10AX 250V	120	390X370X302
	G NEW2-M0070X	4-gang 1-way switch 10AX 250V	120	390X370X302
	G NEW2-M0080X	4-gang 2-way switch 10AX 250V	120	390X370X302



Electronics

Picture	Model No.	Description	Packing Quantity (pcs/ctn)	Carton Dimension (mm)
	G NEW2-M3020X	1-gang doorbell push button switch 10A 250V	120	390X370X302
	G NEW2-M3050X	1-gang dimmer switch 100W	72	390X370X302
	G NEW2-M3051X	1-gang dimmer switch 500W	72	390X370X302

Picture	Model No.	Description	Packing Quantity (pcs/ctn)	Carton Dimension (mm)
	G NEW2-M3061X	1-gang speed control switch 250W	72	390X370X302
	G NEW2-M3070X	1-gang sound & light control time-delay switch 100W (two-wire system,can control filament lamp , energy saving lamp)	96	390X370X302
	G NEW2-M3110X	1-gang infrared sensor time-delay swith 100W (two-wire system,can control filament lamp , energy saving lamp)	96	390X370X302
	G NEW2-M2010X	1-gang TV end socket	144	390X370X302
	G NEW2-M2030X	1-gang 4-core telephone cable socket	144	390X370X302
	G NEW2-M2040X	1-gang 8-core data socket	144	390X370X302
	G NEW2-M2041X	1-gang 8-core data socket (CAT6)	144	390X370X302
	G NEW2-M2050X	2-gang 8-core data socket	144	390X370X302
	G NEW2-M2070X	1-gang TV end socket & 1-gang 4-core telephone cable socket	144	390X370X302
	G NEW2-M2090X	1-gang 4-core telephone cable socket 1-gang 8-core data socket	144	390X370X302
	G NEW2-M2120X	1-gang TV end socket & 1-gang 8-core data socket	144	390X370X302
	G NEW2-M3210X	1-gang doorbell push button switch with 1-gang"please do not disturb"	144	390X370X302
	G NEW2-M3030X	IC card operated switch (general type)30A 6600W	72	390X370X302



NEW2M Series switch & socket

Picture	Model No.	Description	Packing Quantity (pcs/ctn)	Carton Dimension (mm)
	G NEW2-M3033X	IC card operated switch (inductive type)20A 4400W 13.56MHz	72	390X370X302
	G NEW2-M9510X	1-gang blank plate	360	390X370X302
	G NEW2-M3130X	1-gang "please do not disturb" 1-gang "please clean up"	120	390X370X302



Socket

Picture	Model No.	Description	Packing Quantity (pcs/ctn)	Carton Dimension (mm)
	G NEW2-M1094X	German standard socket 16A 250V	96	390X370X302

REMARKS:

The last letter of Model No. "x" Stands for Color Code:



white
Code:0



silver
Code:8



light champagne
Code:4



gray black
Code:5



black
Code: 1

eg: G NEW2-M0010⁰ G NEW2-M0010⁸ G NEW2-M0010⁴ G NEW2-M0010⁵ G NEW2-M0010¹

Other BS models can match with 2L series